

1/4




FIG. 1

100

2/4






FIG. 2

FIG. 3



3/4

**FIG. 4****FIG. 5**

500

SUBSCRIBER #1: WHERE ARE YOU GOING FOR THANKSGIVING? ~510

SUBSCRIBER #2: AT THE IN-LAWS IN SAN FRANCISCO. ~520

SUBSCRIBER #3: I'LL BE VISITING MY PARENTS IN PHOENIX. ~530

SUBSCRIBER #1: WHERE ARE YOU GOING FOR NEW YEAR'S EVE? ~540

SUBSCRIBER #2: I'LL BE SKIING IN VAIL. ~550

SUBSCRIBER #3: PARTYING IN LAS VEGAS. ~560

4/4

SUBSCRIBER #1: WHERE ARE YOU GOING FOR THANKSGIVING?
SUBSCRIBER #2: AT THE IN-LAWS IN SAN FRANCISCO.
SUBSCRIBER #3: I'LL BE VISITING MY PARENTS IN PHOENIX.
SUBSCRIBER #4: I'M NOT GOING ANYWHERE.
SUBSCRIBER #1: WHERE ARE YOU GOING FOR NEW YEAR'S EVE?
SUBSCRIBER #2: I'LL BE SKIING IN VAIL.
SUBSCRIBER #3: PARTYING IN LAS VEGAS.

FIG. 6

500

FIG. 7

700

710

GENERATING A MESSAGE CREATION REFERENCE
ASSOCIATED WITH A REAL-TIME COMMUNICATION
MESSAGE GENERATED BY ONE OF A PLURALITY
OF SUBSCRIBERS

TRANSMITTING THE MESSAGE CREATION REFERENCE
AND THE REAL-TIME COMMUNICATION MESSAGE
SO THAT THE REAL-TIME COMMUNICATION
MESSAGE IS ARRANGED RELATIVE TO THE
PLURALITY OF REAL-TIME COMMUNICATION
MESSAGES DURING THE REAL-TIME COMMUNICATION
SESSION BASED ON THE MESSAGE CREATION REFERENCE

720